

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	340799	(copy\$5 or copied or relicat\$5 or duplicat\$5 or mirror\$5) with (record or data or content or material or application)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:28
S2	8962	(copy\$5 or copied or relicat\$5 or duplicat\$5 or mirror\$5) with (record or data or content or material or application) with (encrypt\$5 or encipher\$5 or encoded or cipher\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:48
S3	1130	(copy\$5 or copied or relicat\$5 or duplicat\$5 or mirror\$5) with (record or data or content or material or application) with (encrypt\$5 or encipher\$5 or encoded or cipher\$5) with (id or identif\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:29
S4	1254	(copy\$5 or copied or relicat\$5 or duplicat\$5 or mirror\$5) with (record or data or content or material or application) with (encrypt\$5 or encipher\$5 or encoded or cipher\$5) with (id or identif\$9 or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:29
S5	89	(copy\$5 or copied or relicat\$5 or duplicat\$5 or mirror\$5) with (record or data or content or material or application) with (encrypt\$5 or encipher\$5 or encoded or cipher\$5) with (id or identif\$9 or status) with (level or strength or algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:30
S6	106	(copy\$5 or copied or relicat\$5 or duplicat\$5 or mirror\$5) with (record or data or content or material or application) with (encrypt\$5 or encipher\$5 or encoded or cipher\$5) with (id or identif\$9 or status) and (713/193.ccls. or 707/200,201,203, 204.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 15:58
S7	16	database with updat\$5 with (duplicat\$5 or replicat\$5 or copy\$5) with \$interrupt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:44
S8	5	database with back\$up with (modif\$5 or chang\$5) with (encrypt\$5 or encipher\$5 or cipher\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:45

EAST Search History

S9	10640	(record or data or content or material or application) with (encrypt\$5 or encipher\$5 or encoded or cipher\$5) with (flag or id or status or identif\$9) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:51
S10	296	(record or data or content or material or application) with (encrypt\$5 or encipher\$5 or encoded or cipher\$5) with (flag or id or status or identif\$9) with database and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:51
S11	17	(record or data or content or material or application) with (encrypt\$5 or encipher\$5 or encoded or cipher\$5) with (flag or id or status or identif\$9) with database with (back\$up) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:52
S13	0	(modif\$9 or change) with back\$up with database with (flag or indicat\$5 or status or id or identif\$6) with (encrypt\$5 or encipher\$5 or cipher\$6 or cryptographic) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:53
S14	2	(modif\$9 or change) with back\$up with (data or material or file or content or application) with (flag or indicat\$5 or status or id or identif\$6) with (encrypt\$5 or encipher\$5 or cipher\$6 or cryptographic) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:54
S15	2	(modif\$9 or change) with back\$up with (record or data or material or file or content or application) with (flag or indicat\$5 or status or id or identif\$6) with (encrypt\$5 or encipher\$5 or cipher\$6 or cryptographic) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:54
S16	2	(modif\$9 or change or updat\$5) with back\$up with (record or data or material or file or content or application) with (flag or indicat\$5 or status or id or identif\$6) with (encrypt\$5 or encipher\$5 or cipher\$6 or cryptographic) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:54

EAST Search History

S17	12	(modif\$9 or change or updat\$5) with back\$up with (record or data or material or file or content or application) with (encrypt\$5 or encipher\$5 or cipher\$6 or cryptographic) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 14:56
S18	21	(modif\$9 or change or updat\$5) with back\$up with (record or data or material or file or content or application) same (encrypt\$5 or encipher\$5 or cipher\$6 or cryptographic) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 15:34
S19	16	encrypted near2 back\$up with database and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 15:35
S20	19	encrypted with back\$up with database and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 15:35
S21	31	encrypt\$5 near3 (level or strength or status or flag\$5 or tag) with database and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 15:51
S22	48	(mirror\$5 or duplicat\$5 or replicat\$5 or copy\$5) with modified near2 data with database and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 15:52
S23	306	(713/193.ccls. or 707/200,201,203, 204.ccls.) and encrypt\$5 with database	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 15:58
S24	23	(713/193.ccls. or 707/200,201,203, 204.ccls.) and encrypt\$5 with database with (chang\$6 or modif\$9 or revis\$8) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/20 16:01
S25	8	(US-20070113104-\$ or US-20070074047-\$ or US-20020107877-\$).did. or (US-5659614-\$ or US-6963980-\$ or US-6915510-\$).did. or (US-20050262118-\$ or EP-672984-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:07
S26	5	S25 and indicat\$5	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:10

EAST Search History

S27	15	re\$encrypt\$5 with database with data and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:11
S28	24	encrypt\$5 near2 (indicat\$6 or flag or tag or status) near3 (change or modif\$9 or revis\$6) and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:13
S29	5	S25 and encrypt\$5	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:23
S30	234	database with (region or section or area) with back\$up	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:24
S31	42	database with (region or section or area) with back\$up with (modif\$9 or change or revis\$6 or updat\$5)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:44
S32	1172	database with (region or section or area) with (modif\$9 or change or revis\$6 or updat\$5) and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:44
S33	6	database with (region or section or area) with (modif\$9 or change or revis\$6 or updat\$5) with encrypt\$5 and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:45
S34	130	(region or section or area) with (modif\$9 or change or revis\$6 or updat\$5) with encrypt\$5 and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:46
S35	9	database with key with rotat\$5 and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:47
S36	2372	database with table with (modif\$6 or change or revis\$6 or updat\$5) and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:47
S37	21	database with table with (modif\$6 or change or revis\$6 or updat\$5) with back\$up and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:51
S38	512	database near2 encrypt\$6 and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:51
S39	0	database near2 encrypt\$6 with flag and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:52
S40	14	database near2 encrypt\$6 with level and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:56

EAST Search History

S41	1	(chang\$6 or modif\$7 or revis\$7 or updat\$6) near4 encrypt\$6 near4 (level or status or strength or algorithm or flag or tag) with database and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 16:58
S42	18	(chang\$6 or modif\$7 or revis\$7 or updat\$6) near4 encrypt\$6 near4 (level or status or strength or algorithm or flag or tag) same database and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 17:01
S43	210	(chang\$6 or modif\$7 or revis\$7 or updat\$6) near3 encrypt\$6 near3 (level or status or strength or algorithm or flag or tag) and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 17:01
S44	43	(chang\$6 or modif\$7 or revis\$7 or updat\$6) near3 encrypt\$6 near3 (level or status or strength or algorithm or flag or tag) and memory with (region or volume or section or area) and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 17:03
S45	3271	data near3 (manipulat\$5 or modif\$8 or updat\$5) near3 (region or volume or section or area) and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 17:04
S46	959	data near (manipulat\$5 or modif\$8 or updat\$5) near2 (region or volume or section or area) and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 17:04
S47	233	memory with data near (manipulat\$5 or modif\$8 or updat\$5) near2 (region or volume or section or area) and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 17:04
S48	49	encrypt\$5 and data near (manipulat\$5 or modif\$8 or updat\$5) near2 (region or volume or section or area) and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 17:05
S49	35	encrypt\$5 and data near (manipulat\$5 or modif\$8 or updat\$5) near2 (region or volume or area) and @ad<="20001116"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/09/20 17:05

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	key with encrypt\$6 with strength near2 different and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:02
L2	99	key with encrypt\$6 near3 strength and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:11
L3	25	713/193.ccls. and 380/28.ccls. and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:19
L4	169	713/193.ccls. and different near2 (algorithm or key or strength) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:23
L5	164	713/193.ccls. and key near (algorithm or key or strength) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:23
L6	81	713/193.ccls. and key near (algorithm or strength) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:25
L7	10	713/193.ccls. and key near (level or strength) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:29
L8	0	secur\$6 near2 level with encrypt\$6 with key near3 (strength) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:29
L9	14	secur\$6 with encrypt\$6 with key near3 (strength) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:31
L10	85	encrypt\$6 with key near3 (strength) and @ad<="20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:32